



TAKING HOMES TO A  
**HIGHER LEVEL.**



SUPERIOR VALUE



ENDURING PERFORMANCE



EASY INSTALLATION,  
EASIER MAINTENANCE





# THERE'S NEVER BEEN CLADDING LIKE **THIS.**

Introducing ASCEND® Composite Cladding, a first-of-its-kind solution that brings together beauty, performance and easy installation for one of the best overall values on the market.

With tall exposures and the authentic look of real wood, ASCEND captures the high-end aesthetics today's homeowners demand. But with ASCEND, installation is quicker and easier than fiber cement, engineered wood and other composite panels. In fact, ASCEND can typically be installed with less labor required.

After it's installed, ASCEND doesn't just perform . . . it lasts. And lasts. And lasts. Keeping that "just-installed" look for years to come with little maintenance needed.

And that's just the beginning of the new heights ASCEND reaches.

REACH NEW HEIGHTS.



FAST, EASY INSTALLATION

VIRTUALLY MAINTENANCE-FREE



## EXCLUSIVE (GP)<sup>2</sup> TECHNOLOGY<sup>®</sup>

ASCEND is the world's first composite cladding engineered with a combination of **G**lass-Reinforced **P**olymer and **G**raphite-Infused **P**olystyrene. This exclusive (GP)<sup>2</sup> Technology was developed to achieve superior performance, meeting or exceeding industry test standards and criteria<sup>†</sup> for windload, workability, flame spread/smoke development and weatherability. With (GP)<sup>2</sup>, ASCEND boasts:

**Class A Fire Rating  
for both flame spread  
and smoke development**

**Impressive thermal and  
impact resistance**

**Superior windload  
performance**

ASCEND's (GP)<sup>2</sup> compound contains glass fibers for added structural stability, strength and heat resistance, while titanium dioxide protects against ultraviolet degradation, and impact modifiers help resist dents and dings. (GP)<sup>2</sup>'s integral weatherable pigments provide strong fade resistance, even on ASCEND's dark colors, and its non-moisture-absorbing materials prevent rotting, warping, shrinking and swelling. The Graphite-Infused Polystyrene helps ASCEND achieve an R-value of up to 2.0, improving overall energy efficiency and helping to reduce thermal bridging.\*

SEE THE POSSIBILITIES.



COMPATIBLE TRIM,  
WINDOWS AND ACCESSORIES

LIFETIME LIMITED WARRANTY\*\*

HIGH-END LOOK OF WOOD



### STRIKING STYLE

With ASCEND, a color palette of 21 shades ranges from timeless to on-trend, while the look of real wood in a 7" Plank and 12" Board & Batten creates the high-end aesthetics today's homeowners demand.



### EASY INSTALLATION

Not only does ASCEND's light weight make it easy to handle, its self-aligning stack lock makes it easy to install – even by fewer laborers. Plus, no sealing, touching up, joint flashing or caulking are required, meaning less mess and less waste.



### A LIFETIME OF BEAUTY, GUARANTEED\*\*

With ASCEND, years of minimal maintenance come backed by an industry-leading lifetime limited warranty for exceptional performance.

# ASCEND COMPOSITE CLADDING: NOT JUST DIFFERENT. BETTER.

## ENGINEERED TO OUTPERFORM AT EVERY LEVEL

From installation ease to superior performance and appearance – ASCEND Composite Cladding will elevate your projects to a higher level of quality.

		FIBER CEMENT/ ENGINEERED WOOD	VINYL SIDING	ASCEND COMPOSITE CLADDING SYSTEM
AESTHETICS	TALL PROFILE/EXPOSURE	✓		✓
	FLAT FACE (7" PLANK)	✓		✓
	WIDE FACE (12" BOARD & BATTEN)	✓		✓
	REALISTIC WOODGRAIN APPEARANCE	✓		✓
PERFORMANCE	SOLID FEEL AGAINST WALL	✓		✓
	COMPATIBLE WITH HIGH-END TRIM OPTIONS	✓		✓
	LIFETIME LIMITED WARRANTY**		✓	✓
	MOISTURE-RESISTANT No swelling		✓	✓
	RESISTS HIGH WINDS WITH UNEXPOSED FASTENERS		✓	✓
	LOW MAINTENANCE		✓	✓
EASE OF USE	EASY HANDLING		✓	✓
	EASE OF INSTALLATION Self-aligning, one-person hang		✓	✓
	NO SEALING, TOUCHING UP, JOINT FLASHING OR CAULKING		✓	✓
	NO SPECIALIZED SKILL REQUIRED Less risk of errors		✓	✓
	ENHANCED SAFETY No special tools or respirators required		✓	✓

## 7" PLANK

ASCEND's 7" tall profile combines a remarkably realistic look of wood with integrated design features for a premier home exterior.

- REINFORCED NAIL HEM**  
for secure wall attachment and greater windload resistance
- FORGIVING HANG**  
helps conceal minor wall imperfections
- STACK LOCK**  
for easy installation
- 7" FLAT FACE AND CEDAR MILL GRAIN**  
recreates the natural look of wood
- INSULATING DESIGN**  
for improved thermal performance
- 21 LOW-GLOSS AND LOW-MAINTENANCE COLORS**  
to match any homeowner's style
- (GP)<sup>2</sup> TECHNOLOGY**  
for a Class A Fire Rating and lower expansion
- VERSATILE 3/4" PROJECTION**  
is compatible with both standard and architectural accents
- SHARP BUTT EDGE**  
better replicates the look of real wood



## 12" BOARD & BATTEN

ASCEND 12" Board & Batten's ample 10" board with 2" batten adds visual depth and custom-crafted appeal as a vertical accent or whole-house exterior.

- Integral batten strip saves time vs. fiber cement battens that must be individually fastened, filled in and touched up
- Cedar mill grain texture and matte finish complement a variety of exterior designs



Cedar Mill Grain Texture




Matte Texture

## ACCESSORIES

Complete your exterior design with H-trim, corner posts, lineals and other ASCEND trim accessories.





Glacier White



Almond



Monterey Sand



Pebble



Canyon Drift



Flagship Brown



Rustic Timber



Dover Gray



Cape Cod Gray



Sterling Gray



Storm



Ageless Slate



Charcoal Smoke



Cast Iron



Laguna Blue




Harbor Blue



Midnight Blue




Riviera Dusk



Mountain Fern



Deep Moss



Fired Brick

# THE LOOK OF REAL WOOD. THE PERFORMANCE OF SOMETHING BETTER.

With ASCEND, superb aesthetics, workability and performance come together – installing easily and providing homeowners with a lifetime of minimal maintenance. It's time to reach new heights. **It's time to ASCEND.**



[ASCENDCompositeCladding.com](http://ASCENDCompositeCladding.com) | 800.922.6009



Please recycle this literature.

©2025 Associated Materials, LLC (AM), 3773 State Road, Cuyahoga Falls, Ohio 44223. Trademarks mentioned in this document are the property of AM, its affiliates or their respective owners. †For specifications, performance test data and code compliance, visit [www.ASCENDCompositeCladding.com](http://www.ASCENDCompositeCladding.com) and view under the Technical Information tab. \*See your ASCEND Sales Representative for additional information regarding any questions you might have, or any assertions herein, concerning energy efficiency or savings. Energy savings will vary. Energy savings assume proper installation and use. \*\*For a copy of the written product warranty, please visit [www.ASCENDCompositeCladding.com](http://www.ASCENDCompositeCladding.com) or contact your ASCEND Sales Representative. Limited warranty does not apply to damage caused by faulty or improper installation, or causes outside of AM's control. Colors may be slightly different from their appearance in this brochure. Make final color selections using actual product samples. Specifications subject to change without notice. Printed in USA. 03/25 18M/OP 80-7302